

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# **T2 ANTIHOLOGRAM & MICROSCRATCH REMOVE**

1.1 Pr 01 Na 1.2 Re Us 1.3 De Tra Za 78 Ph tra VW 1.4 Er 5ECTUO 2.1 Cl Cl Cl Th 2.2 La Cl H Na Ph tra SECTUO 2.1 Cl Cl Th 2.2 La Cl Cl Th 2.2 La Cl Cl Th 2.2 La Cl Cl Cl Cl Cl Cl Cl Cl Cl Cl		fessional users only. section or in section 7.3 et:
<ul> <li>A CI</li> <li< th=""><th>Other means of identification: Non-applicable Relevant identified uses of the substance or r Relevant uses: Car repair; polishing paste. For profe Uses advised against: All uses not specified in this e Details of the supplier of the safety data shee Troton Sp. z o.o. Ząbrowo 14A 78-120 Gościno - Zachodniopomorskie - Polska Phone: +48 94 35 123 94 - Fax: +48 94 35 126 22 troton@troton.com.pl www.troton.pl / www.troton.eu Emergency telephone number: (8am-4pm)+4</th><th>mixture and uses advised against: fessional users only. section or in section 7.3 et:</th></li<></ul>	Other means of identification: Non-applicable Relevant identified uses of the substance or r Relevant uses: Car repair; polishing paste. For profe Uses advised against: All uses not specified in this e Details of the supplier of the safety data shee Troton Sp. z o.o. Ząbrowo 14A 78-120 Gościno - Zachodniopomorskie - Polska Phone: +48 94 35 123 94 - Fax: +48 94 35 126 22 troton@troton.com.pl www.troton.pl / www.troton.eu Emergency telephone number: (8am-4pm)+4	mixture and uses advised against: fessional users only. section or in section 7.3 et:
No. 1.2 Re Us 1.3 De Tra Za 78 Ph tra 78 Ph tra 78 Ph tra 2.4 Cl Cl Cl Cl Cl Cl Cl Cl Cl Cl	Non-applicable <b>Relevant identified uses of the substance or r</b> Relevant uses: Car repair; polishing paste. For profe Jses advised against: All uses not specified in this s <b>Details of the supplier of the safety data shee</b> Troton Sp. z o.o. Ząbrowo 14A 78-120 Gościno - Zachodniopomorskie - Polska Phone: +48 94 35 123 94 - Fax: +48 94 35 126 22 troton@troton.com.pl www.troton.pl / www.troton.eu <b>Emergency telephone number:</b> (8am-4pm)+4	fessional users only. section or in section 7.3 et:
1.2 Re Re Us 1.3 De Tra Za 78 Ph tro VM 1.4 Er 2.1 Cl Cl 2.1 Cl Cl Cl Cl Cl Cl Cl Cl Cl Cl Cl Cl Cl C	Relevant identified uses of the substance or r Relevant uses: Car repair; polishing paste. For profe Uses advised against: All uses not specified in this s Details of the supplier of the safety data shee Troton Sp. z o.o. Ząbrowo 14A 78-120 Gościno - Zachodniopomorskie - Polska Phone: +48 94 35 123 94 - Fax: +48 94 35 126 22 troton@troton.com.pl www.troton.pl / www.troton.eu Emergency telephone number: (8am-4pm)+4	fessional users only. section or in section 7.3 et:
Re Us 1.3 1.3 1.4 2.1 2.1 2.1 2.1 2.1 2.1 2.1 1.4 1.4 1.4 1.4 1.4 1.4 1.4 1.4 1.4 1	Relevant uses: Car repair; polishing paste. For profe Jses advised against: All uses not specified in this s <b>Details of the supplier of the safety data shee</b> Troton Sp. z o.o. Ząbrowo 14A 78-120 Gościno - Zachodniopomorskie - Polska Phone: +48 94 35 123 94 - Fax: +48 94 35 126 22 rroton@troton.com.pl www.troton.pl / www.troton.eu <b>Emergency telephone number:</b> (8am-4pm)+4	fessional users only. section or in section 7.3 et:
Us 1.3 De Trr Za 78 Ph trc ww 1.4 Er SECTO 2.1 Cl Cl 2.2 La Cl H Ne Pi P2 P5 re Si Cl	Uses advised against: All uses not specified in this s <b>Details of the supplier of the safety data shee</b> Troton Sp. z o.o. Ząbrowo 14A 78-120 Gościno - Zachodniopomorskie - Polska Phone: +48 94 35 123 94 - Fax: +48 94 35 126 22 troton@troton.com.pl www.troton.pl / www.troton.eu <b>Emergency telephone number:</b> (8am-4pm)+4	section or in section 7.3 et:
1.3 De Tra Za 78 Ph tra WM 1.4 Er 2.1 Cl 2.1 Cl 2.1 Cl Cl 1 2.2 La Cl 1 1 2.2 La Cl 1 1 2.2 La Sc 1 1 2.2 La Cl 2 1 1 2.2 La 1 2 1 2.1 Cl 2 1 2.1 Cl 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	Details of the supplier of the safety data shee Troton Sp. z o.o. Ząbrowo 14A 78-120 Gościno - Zachodniopomorskie - Polska Phone: +48 94 35 123 94 - Fax: +48 94 35 126 22 troton@troton.com.pl www.troton.pl / www.troton.eu Emergency telephone number: (8am-4pm)+4	et:
Tra Zą 78 Ph tro WM 1.4 Er 5ECTO 2.1 Cl Cl Th 2.2 La Cl H Na Pi PS re Si E	Troton Sp. z o.o. Ząbrowo 14A 78-120 Gościno - Zachodniopomorskie - Polska Phone: +48 94 35 123 94 - Fax: +48 94 35 126 22 croton@troton.com.pl www.troton.pl / www.troton.eu Emergency telephone number: (8am-4pm)+4	2
Za 78 Ph trc WM 1.4 Er 2.1 Cl CL 2.1 Cl CL 2.2 La CL Pl P2 P5 re Su FE	Ząbrowo 14A 78-120 Gościno - Zachodniopomorskie - Polska Phone: +48 94 35 123 94 - Fax: +48 94 35 126 22 croton@troton.com.pl www.troton.pl / www.troton.eu Emergency telephone number: (8am-4pm)+4	
SECTIO		48 094 35 123 94; 112
2.1 Cl CL Th 2.2 La CL H No P2 P5 re Su Su EU	ON 2: HAZARDS IDENTIFICATION **	
2.1 Cl CL Th 2.2 La CL H No P2 P5 re Su Su EU	ON 2: HAZARDS IDENTIFICATION **	
CL TH 2.2 La CL H No PL PS re Su EL		
TH 2.2 La CL H No P2 P5 re Su Su EU	Classification of the substance or mixture:	
2.2 La Cl H No P P S re Si E	CLP Regulation (EC) No 1272/2008:	
CL H No Pi P2 P5 re St E	The product is not classified as hazardous accordin	ng to CLP Regulation (EC) No 1272/2008.
H Na Pi Pi re Si El	Label elements:	
No P P P P S C S C	CLP Regulation (EC) No 1272/2008:	
Pi P2 P5 re Si EU	Hazard statements:	
P2 P5 re <b>S</b> 6 EU	Non-applicable	
PS re <b>S</b> i El	Precautionary statements:	
<b>S</b> i El	P280: Wear protective gloves/eye protection/face p P501: Dispose of contents/container in accordance	protection. e with regulations on hazardous waste or packaging and packaging waste
	respectively.	
	respectively. Supplementary information:	
2.3 0		ess or cracking.
	Supplementary information: EUH066: Repeated exposure may cause skin dryne	ess or cracking.
* Changes SECTIO	<b>Supplementary information:</b> EUH066: Repeated exposure may cause skin dryne EUH210: Safety data sheet available on request.	

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Mixture composed of chemical products

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:



# **T2 ANTIHOLOGRAM & MICROSCRATCH REMOVE**

Printing: 23/12/2022 Da	te of compilation: 10/1	.0/2018 Revised: 16/02/2022	Version: 5 (Replaced 4)	
SECTION 3: COMPOSITI	ON/INFORMATION	ON INGREDIENTS ** (continued)	)	
Identification		Chemical name/Classification		Concentration
CAS: 64742-47-8	Distillates (petroleur	m), hydrotreated light <sup>(1)</sup>	ATP CLP00	
EC: 265-149-8 Index: 649-422-00-2 REACH: 01-2119484819-18- XXXX	Regulation 1272/2008	Asp. Tox. 1: H304 - Danger	\$	10 - <25 %
CAS: 66455-14-9	Alcohols, C12-13, et	hoxylated <sup>(1)</sup>	Self-classified	
EC: 500-165-3 Index: Non-applicable REACH: 01-2119488045-35- XXXX	Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 3: H412 - Wa	arning	1 - <2,5 %
. 5		which meet criteria laid down in Regulation (EU) No. 20 of the substances consult sections 11, 12		

\*\* Changes with regards to the previous version

## SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

## By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

#### By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

#### By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

#### By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

# 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

## SECTION 5: FIREFIGHTING MEASURES

## 5.1 Extinguishing media:

#### Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

## Unsuitable extinguishing media:

Non-applicable

## 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

#### 5.3 Advice for firefighters:



## **T2 ANTIHOLOGRAM & MICROSCRATCH REMOVE**

Printing: 23/12/2022	Date of compilation: 10/10/2018	Revised: 16/02/2022	Version: 5 (Replaced 4)
SECTION 5: FIREF	IGHTING MEASURES (continued)		
1 3	num emergency facilities and equipment si 39/654/EC.	, ,	thing and self-contained breathing apparatus ets, portable first aid kit,) in accordance
emergencies. E	nce with the Internal Emergency Plan and Eliminate all sources of ignition. In case of oplosion or BLEVE as a result of high temp	fire, cool the storage contain	

# SECTION 6: ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures:

## For non-emergency personnel:

aqueous medium.

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

#### For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

#### 6.2 Environmental precautions:

Avoid spillage into the aquatic environment as it contains substances potentially dangerous for this. Contain the product absorbed in hermetically sealed containers. In the case of serious spillage into the aquatic environment notify the relevant authority.

## 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

#### 6.4 Reference to other sections:

See sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

#### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

 Minimum Temp.:
 0 °C

 Maximum Temp.:
 45 °C

Maximum time: 24 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

#### 7.3 Specific end use(s):



Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# **T2 ANTIHOLOGRAM & MICROSCRATCH REMOVE**

Printing: 23/12/2022	Date of compilation: 10/10/2018	Revised: 16/02/2022	Version: 5 (Replaced 4)
----------------------	---------------------------------	---------------------	-------------------------

## SECTION 7: HANDLING AND STORAGE (continued)

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

#### DNEL (Workers):

Non-applicable

#### DNEL (General population):

Non-applicable

PNEC:

Non-applicable

#### 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
	NON-disposable chemical protective gloves (Material: Nitrile, Breakthrough time: > 480 min, Thickness: 0.4 mm)		EN ISO 374-1:2016+A1:2018 EN 16523-1:2015+A1:2018 EN ISO 21420:2020	The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being used. Do not use protective creams after the product has come into contact with skin.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

#### D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	CAT II	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Non-applicable

F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
<b>*</b>	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	<b>●</b> +	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Emergency shower		Eyewash stations	

#### Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D **Volatile organic compounds:** 



# T2 ANTIHOLOGRAM & MICROSCRATCH REMOVE

-	23/12/2022 Date of compilation		Revised: 16/02/2022	Version: 5 (Replaced 4)
SECT	TION 8: EXPOSURE CONTROLS/P	Ersonal Pro	TECTION (continued)	
	With regard to Directive 2010/75/EU,	this product has	the following characteristics:	
	V.O.C. (Supply):	12 % weight		
	V.O.C. density at 20 °C:	115,8 kg/m³	(115,8 g/L)	
	Average carbon number:	12		
	Average molecular weight:	170 g/mol		
SECT	TION 9: PHYSICAL AND CHEMICA	L PROPERTIES	5	
9.1	Information on basic physical an	d chemical prop	perties:	
	For complete information see the pro	duct datasheet.		
	Appearance:			
	Physical state at 20 °C:		Liquid	
	Appearance:		Viscous	
	Colour:		White	
	Odour:		Characteristic	
	Odour threshold:		Non-applicable *	
	Volatility:			
	Boiling point at atmospheric pressure	:	111 °C	
	Vapour pressure at 20 °C:		2301 Pa	
	Vapour pressure at 50 °C:		12123,19 Pa (12,12 kPa)	
	Evaporation rate at 20 °C:		Non-applicable *	
	Product description:			
	Density at 20 °C:		965 kg/m³	
	Relative density at 20 °C:		965	
	Dynamic viscosity at 20 °C:		~25000 cP	
	Kinematic viscosity at 20 °C:		Non-applicable *	
	Kinematic viscosity at 40 °C:		>20,5 mm²/s	
	Concentration:		Non-applicable *	
	pH:		8	
	Vapour density at 20 °C:		Non-applicable *	
	Partition coefficient n-octanol/water 2	0 °C:	Non-applicable *	
	Solubility in water at 20 °C:		Non-applicable *	
	Solubility properties:		Non-applicable *	
	Decomposition temperature:		Non-applicable *	
	Melting point/freezing point:		Non-applicable *	
	Flammability:			
	Flash Point:		Non Flammable (>60 °C)	
	Flammability (solid, gas):		Non-applicable *	
	Autoignition temperature:		Non-applicable *	
	Lower flammability limit:		Non-applicable *	
	Upper flammability limit:		Non-applicable *	
	Particle characteristics:		· r r · · · · -	
	Median equivalent diameter:		Non-applicable	
9.2	Other information:		- · · · · · · · · · · · · · · · · · · ·	
	*Not relevant due to the nature of the produc	t not provide a la C	motion property of its based	



# **T2 ANTIHOLOGRAM & MICROSCRATCH REMOVE**

Printing: 23/12/2022	Date of compilation: 10/10/2018	Revised: 16/02/2022	Version: 5 (Replaced 4)
SECTION 9: PHYSICA	L AND CHEMICAL PROPERTIES	6 (continued)	
Information wit	h regard to physical hazard clas	ses:	
Explosive propertie	es:	Non-applicable *	
Oxidising propertie	es:	Non-applicable *	
Corrosive to metal	s:	Non-applicable *	
Heat of combustion	n:	Non-applicable *	
components:	entage (by mass) of flammable	Non-applicable *	
Other safety cha	iracteristics:		
Surface tension at	20 °C:	Non-applicable *	
Refraction index:		Non-applicable *	
*Not relevant due to the	he nature of the product, not providing infor	mation property of its hazards.	

SECTION	10:	STABILITY	′ AND	REACTIVITY
02011011		Oll Oller I	,	

#### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

#### 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

## **10.3** Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

#### **10.4** Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

#### 10.5 Incompatible materials:

-				
Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Not applicable	Not applicable	Avoid alkalis or strong bases

#### **10.6 Hazardous decomposition products:**

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

#### SECTION 11: TOXICOLOGICAL INFORMATION \*\*

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

#### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

\*\* Changes with regards to the previous version



# **T2 ANTIHOLOGRAM & MICROSCRATCH REMOVE**

		Revised: 16/02/2022	Version: 5 (Replaced 4)	,
ION 11: TOXI	COLOGICAL INFORMATION ** (c	continued)		
C- Contact wit	h the skin and the eyes (acute effect):			
classified as - Contact classified as	with the skin: Based on available data, s hazardous for skin contact. For more i with the eyes: Based on available data, s hazardous for this effect. For more inf s (carcinogenicity, mutagenicity and tox	information see section 3. the classification criteria are n formation see section 3.		
			:+	
as hazardou IARC: Dis - Mutagen hazardous f - Reprodu	enicity: Based on available data, the cla us for the effects mentioned. For more stillates (petroleum), hydrotreated light icity: Based on available data, the class for this effect. For more information see ctive toxicity: Based on available data, f s hazardous for this effect. For more inf effects:	information see section 3. (3) sification criteria are not met, a e section 3. the classification criteria are no	s it does not contain substar	nces classifi
- Respirate hazardous v - Skin: Ba hazardous f	ory: Based on available data, the classif with sensitising effects. For more inform sed on available data, the classification for this effect. For more information see get organ toxicity (STOT) - single expos	nation see section 3. criteria are not met, as it does e section 3.		
this effect.	vailable data, the classification criteria a For more information see section 3. get organ toxicity (STOT)-repeated exp		ain substances classified as	hazardous
	3	osule.		
it does not - Skin: Re	target organ toxicity (STOT)-repeated e contain substances classified as hazard peated exposure may cause skin drynes	exposure: Based on available da lous for this effect. For more inf		are not me
it does not - Skin: Re H- Aspiration h Based on a for this effe <b>Other inform</b>	target organ toxicity (STOT)-repeated e contain substances classified as hazard peated exposure may cause skin drynes nazard: vailable data, the classification criteria a ect. For more information see section 3. ation:	exposure: Based on available da lous for this effect. For more inf ss or cracking are not met. However, it does a	ormation see section 3.	
it does not - Skin: Re H- Aspiration h Based on ar for this effe <b>Other inform</b> Non-applicable	target organ toxicity (STOT)-repeated e contain substances classified as hazard peated exposure may cause skin drynes nazard: vailable data, the classification criteria a cct. For more information see section 3. <b>ation:</b>	exposure: Based on available da lous for this effect. For more inf ss or cracking are not met. However, it does o	ormation see section 3.	
it does not - Skin: Re H- Aspiration h Based on ar for this effe <b>Other inform</b> Non-applicable	target organ toxicity (STOT)-repeated e contain substances classified as hazard peated exposure may cause skin drynes nazard: vailable data, the classification criteria a ect. For more information see section 3. ation:	exposure: Based on available da lous for this effect. For more inf ss or cracking are not met. However, it does o	ormation see section 3.	l as hazardo
it does not - Skin: Re H- Aspiration h Based on ar for this effe <b>Other inform</b> Non-applicable <b>Specific toxic</b>	target organ toxicity (STOT)-repeated e contain substances classified as hazard peated exposure may cause skin drynes nazard: vailable data, the classification criteria a ect. For more information see section 3. ation: ology information on the substance Identification	exposure: Based on available da lous for this effect. For more inf ss or cracking are not met. However, it does o pes:	Tormation see section 3.	
it does not - Skin: Re H- Aspiration h Based on ar for this effe <b>Other informa</b> Non-applicable <b>Specific toxic</b> Distillates (petrole	target organ toxicity (STOT)-repeated e contain substances classified as hazard peated exposure may cause skin drynes nazard: vailable data, the classification criteria a ect. For more information see section 3. ation:	exposure: Based on available da lous for this effect. For more inf ss or cracking are not met. However, it does of res:	Formation see section 3. Contain substances classified Acute toxicity >2000 mg/kg	l as hazardo
it does not - Skin: Re H- Aspiration h Based on an for this effe <b>Other informa</b> Non-applicable <b>Specific toxic</b> Distillates (petrole CAS: 64742-47-8	target organ toxicity (STOT)-repeated e contain substances classified as hazard peated exposure may cause skin drynes nazard: vailable data, the classification criteria a ect. For more information see section 3. ation: ology information on the substance Identification	exposure: Based on available da lous for this effect. For more inf ss or cracking are not met. However, it does d res: LD50 oral LD50 derma	Formation see section 3.         contain substances classified         Acute toxicity         > 2000 mg/kg         al       > 2000 mg/kg	l as hazardo
it does not - Skin: Re H- Aspiration h Based on an for this effe <b>Other informa</b> Non-applicable <b>Specific toxic</b> Distillates (petrole CAS: 64742-47-8 EC: 265-149-8	target organ toxicity (STOT)-repeated econtain substances classified as hazard peated exposure may cause skin drynes hazard: vailable data, the classification criteria a ect. For more information see section 3. ation: cology information on the substance Identification	exposure: Based on available data lous for this effect. For more initiated ss or cracking are not met. However, it does of res: LD50 oral LD50 derma LC50 inhala	Formation see section 3.         contain substances classified         Acute toxicity         >2000 mg/kg         al       >2000 mg/kg         tion       >20 mg/L	l as hazardo
it does not - Skin: Re H- Aspiration h Based on ar for this effer <b>Other informa</b> Non-applicable <b>Specific toxic</b> Distillates (petrole CAS: 64742-47-8 EC: 265-149-8 Alcohols, C12-13,	target organ toxicity (STOT)-repeated econtain substances classified as hazard peated exposure may cause skin drynes hazard: vailable data, the classification criteria a ect. For more information see section 3. ation: cology information on the substance Identification	exposure: Based on available da lous for this effect. For more inf ss or cracking are not met. However, it does d res: LD50 oral LD50 derma	Formation see section 3.         Contain substances classified         Acute toxicity         >2000 mg/kg         al       >2000 mg/kg         tion       >20 mg/L         >2000 mg/kg	l as hazardo
it does not - Skin: Re H- Aspiration h Based on ar for this effer <b>Other informa</b> Non-applicable <b>Specific toxic</b> Distillates (petrole CAS: 64742-47-8 EC: 265-149-8 Alcohols, C12-13, CAS: 66455-14-9	target organ toxicity (STOT)-repeated econtain substances classified as hazard peated exposure may cause skin drynes hazard: vailable data, the classification criteria a ect. For more information see section 3. ation: cology information on the substance Identification	exposure: Based on available data lous for this effect. For more information ss or cracking are not met. However, it does of the state of the state	Formation see section 3.         Contain substances classified         Acute toxicity         >2000 mg/kg         al       >2000 mg/kg         tion       >20 mg/L         >2000 mg/kg         al       >2000 mg/kg	l as hazardo
it does not - Skin: Re H- Aspiration h Based on ar for this effe <b>Other informa</b> Non-applicable <b>Specific toxic</b> Distillates (petrole CAS: 64742-47-8 EC: 265-149-8 Alcohols, C12-13, CAS: 66455-14-9 EC: 500-165-3	target organ toxicity (STOT)-repeated econtain substances classified as hazard peated exposure may cause skin drynes nazard: vailable data, the classification criteria a ect. For more information see section 3. ation: ology information on the substance Identification eum), hydrotreated light	exposure: Based on available data lous for this effect. For more inf ss or cracking are not met. However, it does of tes: LD50 oral LD50 derma LD50 inhala LD50 oral	Formation see section 3.         Contain substances classified         Acute toxicity         > 2000 mg/kg         al       > 2000 mg/kg         tion       > 20 mg/L         > 2000 mg/kg         al       > 2000 mg/kg         al       > 2000 mg/kg         al       > 2000 mg/kg         al       > 2000 mg/kg	l as hazardo
it does not - Skin: Re H- Aspiration h Based on ar for this effe <b>Other informa</b> Non-applicable <b>Specific toxic</b> Distillates (petrole CAS: 64742-47-8 EC: 265-149-8 Alcohols, C12-13, CAS: 66455-14-9 EC: 500-165-3	target organ toxicity (STOT)-repeated e contain substances classified as hazard peated exposure may cause skin drynes nazard: vailable data, the classification criteria a sct. For more information see section 3. ation: ology information on the substanc Identification eum), hydrotreated light ethoxylated y Estimate (ATE mix):	exposure: Based on available data lous for this effect. For more information ss or cracking are not met. However, it does of the state of the state	Acute toxicity         >2000 mg/kg         al       >2000 mg/kg         tion       >2000 mg/kg         >2000 mg/kg         tion       >2000 mg/kg         al       >2000 mg/kg	l as hazardo Gen
it does not - Skin: Re H- Aspiration h Based on ar for this effer <b>Other informa</b> Non-applicable <b>Specific toxic</b> Distillates (petrole CAS: 64742-47-8 EC: 265-149-8 Alcohols, C12-13, CAS: 66455-14-9 EC: 500-165-3 <b>Acute Toxicit</b>	target organ toxicity (STOT)-repeated econtain substances classified as hazard peated exposure may cause skin drynes hazard: vailable data, the classification criteria a sect. For more information see section 3. ation: cology information on the substance Identification eum), hydrotreated light ethoxylated y Estimate (ATE mix): ATE mix	exposure: Based on available data lous for this effect. For more information ss or cracking are not met. However, it does of the state of the state	Acute toxicity         > 2000 mg/kg         al       > 2000 mg/kg         tion       > 2000 mg/kg         al       > 2000 mg/kg         tion       Non-applicable	l as hazardo
it does not - Skin: Re H- Aspiration h Based on ar for this effe <b>Other informa</b> Non-applicable <b>Specific toxic</b> Distillates (petrole CAS: 64742-47-8 EC: 265-149-8 Alcohols, C12-13, CAS: 66455-14-9 EC: 500-165-3 <b>Acute Toxicit</b> Oral	target organ toxicity (STOT)-repeated econtain substances classified as hazard peated exposure may cause skin drynes nazard: vailable data, the classification criteria a sct. For more information see section 3. ation: ology information on the substance Identification eum), hydrotreated light ethoxylated y Estimate (ATE mix): ATE mix >2000 mg/kg (Calcul	exposure: Based on available data lous for this effect. For more information ss or cracking are not met. However, it does of the state of the state	Formation see section 3.         Contain substances classified         Acute toxicity         > 2000 mg/kg         al       > 2000 mg/kg         ion       > 2000 mg/kg         al       > 2000 mg/kg         al       > 2000 mg/kg         ion       > 2000 mg/kg         ion       > 2000 mg/kg         ion       Non-applicable	l as hazardo Gen
it does not - Skin: Re H- Aspiration h Based on ar for this effer <b>Other informa</b> Non-applicable <b>Specific toxic</b> Distillates (petrole CAS: 64742-47-8 EC: 265-149-8 Alcohols, C12-13, CAS: 66455-14-9 EC: 500-165-3 <b>Acute Toxicit</b>	target organ toxicity (STOT)-repeated econtain substances classified as hazard peated exposure may cause skin drynes hazard: vailable data, the classification criteria a sect. For more information see section 3. ation: cology information on the substance Identification eum), hydrotreated light ethoxylated y Estimate (ATE mix): ATE mix	exposure: Based on available data lous for this effect. For more information ss or cracking are not met. However, it does of the state of the state	Acute toxicity         > 2000 mg/kg         al       > 2000 mg/kg         tion       > 2000 mg/kg         al       > 2000 mg/kg         tion       Non-applicable	l as hazardo

# Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

## Other information

Non-applicable

\*\* Changes with regards to the previous version

\*\* Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -



Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# **T2 ANTIHOLOGRAM & MICROSCRATCH REMOVE**

nting:	23/12/2022	Date of compilation: 10/10/2018	F	evised: 16/02/2022	Version: 5 (Re	eplaced 4)		
SECT	TION 12: ECOL	OGICAL INFORMATION **						
The e	xperimental infor	mation related to the eco-toxicological	propert	ies of the product itself	is not available			
12.1	Toxicity:	-						
	Acute toxicity:							
		Identification		Concentration	Specie	Species		
	Alcohols, C12-13,	ethoxylated	LC50	Non-applicable				
	CAS: 66455-14-9		EC50	Non-applicable				
	EC: 500-165-3		EC50	0,282 mg/L (72 h)	Pseudokirchneriell	la subcapitata	Algae	
.2.2	Persistence a	nd degradability:						
	Not available							
12.3	Bioaccumulati	ive potential:						
	Substance-sp	Substance-specific information:						
		Identification			Bioaccumulation potential			
	Distillates (petrole	Distillates (petroleum), hydrotreated light		BCF	130			
	CAS: 64742-47-8	CAS: 64742-47-8			Pow Log	3.3 High		
	EC: 265-149-8				Potential			
L2.4	Mobility in soi	1:						
	Not available							
L2.5	Results of PB	and vPvB assessment:						
	Product fails to meet PBT/vPvB criteria							
12.6	Endocrine disrupting properties:							
	Endocrine-disrupting properties: The product fails to meet the criteria.							
12.7	Other adverse	Other adverse effects:						
	Not described							

\*\* Changes with regards to the previous version

# SECTION 13: DISPOSAL CONSIDERATIONS

## **13.1** Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
	waste paint and varnish containing organic solvents or other hazardous substances packaging containing residues of or contaminated by hazardous substances	Non dangerous

#### Type of waste (Regulation (EU) No 1357/2014):

Non-applicable

#### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

#### **Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

## SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)



# **T2 ANTIHOLOGRAM & MICROSCRATCH REMOVE**

	23/12/2022         Date of compilation: 10/10/2018         Revised: 16/02/2022         Version: 5 (Replaced 4)					
SECT	ION 15: REGULATORY INFORMATION					
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture:					
	Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable					
	Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable					
	Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable					
Article 95, REGULATION (EU) No 528/2012: Non-applicable						
REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-appl Seveso III:						
	Non-applicable					
	Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):					
	Non-applicable					
	Specific provisions in terms of protecting people or the environment:					
	It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.					
	Other legislation:					
	The product could be affected by sectorial legislation					
15.2	Chemical safety assessment:					
	The supplier has not carried out evaluation of chemical safety.					
°F °T						
SECT	ION 16: OTHER INFORMATION					
	Legislation related to safety data sheets:					
	The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).					
	Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:					
	COMMISSION REGULATION (EU) 2020/878					
	COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3, SECTION 11, SECTION 12):					
	New declared substances     Distillates (petroleum), hydrotreated light (64742-47-8)					
	Alcohols, C12-13, ethoxylated (66455-14-9)					
	Removed substances					
	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics Distillates (petroleum), hydrotreated light paraffinic, < 3 % IP 346 (64742-55-8)					
	CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16): • Precautionary statements					
	Texts of the legislative phrases mentioned in section 3:					
	The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3					
	CLP Regulation (EC) No 1272/2008:					
	Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.					
	Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. Classification procedure:					
	Non-applicable					
	Advice related to training:					
	-					
	Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.					
	interpretation of this safety data sheet, as well as the label on the product.					



# **T2 ANTIHOLOGRAM & MICROSCRATCH REMOVE**

Printing: 23/12/2022	Date of compilation: 10/10/2018	Revised: 16/02/2022	Version: 5 (Replaced 4)			
SECTION 16: OTHER INFORMATION (continued)						
IMDG: Internat IATA: Internation ICAO: Internation COD: Chemical BOD5: 5day bion BCF: Bioconcer LD50: Lethal Do LC50: Lethal Co EC50: Effective LogPOW: Octar Koc: Partition co UFI: unique for	ose 50 oncentration 50 e concentration 50 nolwater partition coefficient coefficient of organic carbon	carriage of dangerous goods	by road			

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.